

ESTRATTA

CA



Porpora Schonlein- Henoch: clinica, inquadramento diagnostico e complicanze.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Anafilassi: definizione, segni e sintomi, terapia, action plan.

[illegible]



NON ESTRATTA



PROVA SCRITTA N. 3

Il lattante con febbre: primo inquadramento diagnostico.

[illegible]

ESTRATTA



Interpretazione del seguente caso clinico: bambino di 5 anni giunge in PS per vomito e diarrea mucoematica da circa 3 giorni. Oliguria. Emocromo: GR 2.340.000/mmc, Hb 7 g/dl, Ht 25%, MCV 80 GB 15.000/mmc (N 75%), PLT 45.000/mmc Na 145 mmol/L K 6 mmol/L SGOT 180 UI/L, SGPT 58 UI/L UREA 130 mg/dl. Creatinina 3 mg/dl . LDH 2670 UI/L Esame urine : Ph 6, PS 1030, sangue e proteine +++

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

NON ESTRATTA

AK



- proteine 400 mg/dl

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Descrivere le tappe della Rianimazione Neonatale.